

# INDEX MAPS.

## T.34N, R. 6 E. 2<sup>nd</sup> Mer.

*Meanders 119*

	91	90	90	90	89	89	
92	6	118	5	113	4	108	3 103 2 98 1 87
	118		117		113		108 103 98
92	7	117	8	112	9	107	10 102 11 98 12 87
	117		116		112		107 102 97
92	18	116	17	111	16	106	15 101 14 97 13 87
	116		115		111		106 101 96
93	19	115	20	110	21	105	22 101 23 96 24 88
	115		114		110		105 100 95
93	30	114	29	109	28	105	27 100 26 95 25 88
	114		114		109		104 99 94
94	31	113	32	109	33	104	34 99 35 94 36 88
	86		86		86		85 85 85

## T.35N, R. 6 E. 2<sup>nd</sup> Mer.

	128	128	129	129	129	130	
131	6	155	5	149	4	145	3 141 2 137 1 126
	155		154		149		145 140 137
131 132	7	154	8	149	9	144	10 140 11 136 12 125 126
	154		153		148		144 140 136
131 132	18	153	17	148	16	144	15 139 14 126 13 125 127
	153		152		147		144 139 135
131 132	19	152	20	147	21	143	22 139 23 135 24 125 127
	152		151		147		142 138 135
130 133	30	151	29	146	28	142	27 138 26 134 25 125 127
	150		150		146		142 138 134
130 133	31	150	32	146	33	141	34 137 35 134 36 125 127
	124		124		124		123 123 123

The figures on the lines refer to the page.

Township N. 34 North of Range N. 6. East 2<sup>nd</sup> Mer. Indiana. 85

South Boundary.

- West On South Boundary of Sec 36.
1. 18' A sp. Oak 6' in. diam.
- 20 60' An R. Oak 14 " "
- 45.00 Set a q. the post from which  
a W. Oak 24 in. diam. bears N 38 E 20 links dist. &  
an R. Oak 21 " " " N 30 W 44 " "
- 43.50 To Marsh
- 52.00 Leave To:
- 74.62 A W. Ash 13 in. diam.
- 71-70 An Indian Trail Course South
- 80.00 Set a Post Corner to Sec 35 & 36 from which  
a Beech 15 in. diam. bears N 45 E 22 links dist. &  
a Sugar 8 " " " N 48 W 50 " "  
First 50.00. Land Rolling. mostly good soil. thinly  
timbered with Oak. Elm. & very Brushy. Last  
20.00 rich soil. Timber. Walnut. Beech. Sugar.

- 
- West On South Boundary of Sec 35
- 5.05 A Sugar 10 in. diam.
- 22.25 Indian Trail Course South.
- 40.00 Set a q. the post from which  
a Maple 14 in. diam. bears N 19 1/2 E 23 links dist. &  
a Do 7 " " " N 88 1/2 W 43 " "
- 71.74 A W. Oak 48 " "
- 80.00 Set a Post Corner to Sec 34 & 35. from which  
a Blue Ash 10 in. diam. bears N 10 1/2 W 31 links dist. &  
a Sugar 13 " " " N 31 1/2 E 49 " "  
Land level. mostly 1<sup>st</sup> rate soil. Timber. Beech.  
Ash, Oak. Elm. Gym. Walnut &c. Underg.  
Spice & Pawpaw. & Prickly Ash. In places  
low and wet.

- 
- West On South Boundary of Sec 34.
- 30 85 A Beech 29 in. diam.
- 40.00 Set a q. the post from which



## T34. N. B. &amp; E. 2nd Mer. Indiana

- Buck 18 in. diam. bears N 48° E 53 1/2 links dist. & a  
 Sugar 8 " " " N 87 1/2 W 33 " "  
 49.14 A Buck 9 " "  
 58.75 Indian Trail. Course South  
 75.44 At N. Corner of Musquabucks Reserve. South 37.70  
 80.00 Set a Post Corner to Sec. 33 & 34 from which  
 a Buck 14 in. diam. bears N 87° E 37 links dist.  
 & a Spruce 14 " " " N 28° W 65 " "  
 Land &c similar. In notes.

- West On South Boundary of Sec 33.  
 15.00 A W. Oak 10 in. diam.  
 30.50 Turkey Creek Prairie  
 40.00 Set a q. Sec. post from which  
 an Aspen 14 in. diam. bears N 88 3/4° E. 9.53 links dist. &  
 Raised a Mound  
 80.00 Set a Post Corner to Sec. 32 & 33 where raised  
 a Mound in Prairie.  
 To Prairie. Land Rolling & Well Timbered  
 Rich soil. Timber. Oak. Elm. Walnut. Sugar. &  
 Prairie gently Rolling & rich soil.

- West On South Boundary of Sec 32.  
 27.50 Bare Dry Prairie & Center Marsh  
 40.00 Set a q. Sec. post and Raised a Mound  
 80.00 Set a Post Corner to Sec. 31 & 32 in Mound in  
 Wet Prairie  
 Dry Prairie similar to that on the last mile  
 Marsh a fine mowing meadow

- West On South Boundary of Sec 31.  
 40.00 Set a q. Sec. post where raised a Mound  
 80.70 Set a Post Corner of Towns 34 North. Ranges 5. & 6 E.  
 Raised a Mound where  
 a W. Ash 14 in. diam. bears N 89° W. 60 1/2 links dist.  
 & an Elm 15 " " " N 27° E. 1.98 " "

Land all Wet Prairie bar. 6.00 E.

## East Boundary

South On East Boundary of Sec 1.

2. 53 A Buck 11 in. diam.

35. 30 A W. Ash 12 in. diam. is Corner to q. Sec.

41. 11 Turkey Creek 23 links wide. Course N.W.

45. 22 A W. Oak 40 in. diam.

56. 11 To Marsh

65. 00 Leave same.

75. 30 Set a Post Corner to Sec. 1. 112 from which  
 a Blue Ash 10 in. diam. bears N 25 W. 28 links dist. &  
 a W. Oak 30 " " " S 10 W. 26 " "  
 To Marsh. Land level & somewhat low. Timber  
 Buck. Ash. Elm. Oak. Walnut &c. From Marsh  
 Rolling rich soil. Timber same.

South On East Boundary of Sec 12.

27. 67 An Ironwood 13 in. diam.

40. 00 Set a q. Sec Post from which

an Ironwood 13 in. diam. bears S 67 1/2 W. 50 links dist. &amp;

an R. Oak 21 " " " N 1. W. 00 " "

Sp. Oak 20 " " "

50. 00 Set a Post Corner to Sec. 12 113 from which

a W. Oak 28 in. diam. bears S 60 W. 2. 50 links dist. &amp;

a Y. Oak 13 " " " N 62 W. 08 " "

Land Rolling 11<sup>th</sup> rate. Buck. Ash. Elm. Poplar &c.

South On East Boundary of Sec 13.

5. 00 Enter Barren

30. 90 A Sp. Oak 18 in. diam.

35. 00 To Marsh

40. 00 Set a q. Sec Post from which

an Aspin 8 in. diam. bears N 3 W. 4. 37 links dist. &amp;

a D. 9 " " " N 79 3/4 E. 1. 78 " "

56. 57 Leave Marsh.

## Twp N. R. 6. E 2nd Mer. Indiana

50.83 A Hickory 11 in. diam?  
 70.00 Road from Turkey Prairie to Lewis Davies Mill. S.E.  
 80.00 Set a Post Corner to Sec. 13 + 24 from which  
 an H. Oak 18 in. diam. bears S 40° W 40 links dist. &  
 a W. Oak 30 " " " S 51 3/4° W 89 " "  
 Land Helling Barrens. good soil. Timber. W. & Y. Oak.

South On East Boundary of Sec. 24.

0.00 Swamp.

15.00 Leave Do

40.00 Set a 9. Sec. post from which  
 a Y. Oak 20 in. diam. bears S 52° W 71 links dist. &  
 a W. Oak 24 " " " S 34° W 70 " "

80.00 Set a Post Corner to Sec. 24 + 25. from which  
 a W. Oak 40 in. diam. bears S 27° W 59 links dist. &  
 a Do 15 " " " S 70° W 58 " "  
 Land & similar to last mile. Sept. 11<sup>th</sup> 1834.

South On East Boundary of Sec. 25.

19.00 An Indian Trail To Hallibill's village.

25.00 To Marsh.

28.64 To Lake. (Ma-we-see Lake) where  
 a W. Oak 30 in. diam. bears S 73 1/2° W 282 links dist. &  
 an Asp. 12 " " " S 78 3/4° E. 206 " "

110.00 9. Sec. Corner in Lake.

70.97 Leave Lake & Enter Marsh. where  
 a Hickory 15 in. diam. bears S 15 1/2° W. 2.11 links dist. &  
 a W. Oak 15 " " " S 36 1/2° E. 1.69 " "

72.50 Leave the Marsh

80.00 Set a Post Corner to Sec. 25 & 30 from which  
 a W. Oak 13 in. diam. bears S 6 1/2° W 80 links dist. &  
 a Do 15 " " " S 26 1/2° W 1.56 " "  
 Land & similar.

South On East Boundary of Sec. 30.

19.00 An Indian Trail. Course E.

T 34. N. R. 6. E 2<sup>nd</sup> Mer. Indiana. 89

40.00 Set a g. & sec. post. from which  
a No Walnut 11 in. diam. bears S 71 1/2 W. 28 links dis. &  
a Hickory 8 " " " North 1 1/2 " "  
50.00 To Marsh  
70.00 Leave same - some Willow & B. Ash.  
80.00 Townships Corner.  
First 10.00 Land &c similar. Last 70.00. but better  
timber. Sugarfras. &c. Samac trees & some Beech  
Walnut. Hickory. &c  
var. 5 1/2 E  
Surveyed by  
Robert Clark Junr. D.C.

North Boundary var. 5 1/2 E  
Note On South Boundary of Sec 36. T 35 N. R. 6. E.  
10.70 A Sugar 30 in. diam.  
34.00 Enter Swamp Prairie  
110.00 Set a g. & sec. post. from which  
Burr Oak 22 in. diam. bears East 1.10 links dis. &  
No other tree near.  
142.00 Leave Swamp Prairie & Enter Willow Swamp.  
146.71 A Stream 70 links wide. Course N.W.  
157.37 Same 70 " " " S.W. Leave Swamp.  
163.71 A B. Ash 18 in. diam.  
177.24 An Elm 15 " "  
180.00 Set a Post Corner to Sec. 35 & 36. from which  
a Beech 8 in. diam. bears N 49 E 35 links dis. &  
a Do 9 " " " N 70 W 38 " "  
Land 2<sup>nd</sup> rate. Timber. Oak. Beech. Ash. &c.  
Undergr. Haze. Thorne & Willow.

Note On South Boundary of Sec 35. T 35 N. R. 6. E.  
20.47 A Poplar 15 in. diam.  
40.00 Set a g. & sec. post. from which  
a Beech 10 in. diam. bears N 59 E 14 links dis. &  
a Do 6 " " " N 63 W 29 " "  
50.50 A Poplar 24 in. diam.  
69.37 A Maple 18 " "



## T 34. N. R. 6. E. 2nd Mer. Indiana.

80.00 Set a Post Corner to Sec. 34 & 35. from which  
 a W. Oak 14 in. diam. bears N 53 E 20 links dist &  
 a B. Ash 18 " " " N 62 W 34 " "  
 Timber. Oak. Buck. & Ash. Underg<sup>th</sup> Spice.  
 and Ironwood. June 5<sup>th</sup> 1829.

West On South Boundary of Sec. 34. T 35 N. R. 6. E.

14 19 A Poplar 44 in. diam.

33 22 A B. Ash 14 " "

40.00 Set a gr. the post from which  
 a Sugar 10 in. diam. bears N 84 E 27 links dist &  
 an Ironwood 5 in. " " N 68 W 32 " "

80.55 A Spruce 36 " "

80.00 Set a Post Corner to Sec. 33 & 34 from which  
 an Elm 10 in. diam. bears N 47 E 16 links dist &  
 a Sugar 18 " " " N 52 W 26 " "  
 Land hilly & 2<sup>nd</sup> rate. Timber. Oak. Ash and  
 Poplar Underg<sup>th</sup> Ironwood & Spice.

West On South Boundary of Sec. 33. T 35 N. R. 6. E.

23.68 A Sugar 18 in. diam.

40.00 Set a gr. the post from which  
 an Elm 27 in. diam. bears N 64 E 32 links dist &  
 a Hickory 7 " " " N 67 W 37 " "

55.47 A B. Ash 36 " "

70.04 A Buck 36 " "

70.80 A Trail Course South.

80.00 Set a Post Corner to Sec. 32. & 33. from which  
 a Mulberry 22 in. diam. bears N 68 E 24 links dist &  
 an Ironwood 6 " " " N 47 W 28 " "  
 Good level Land. Timber. Buck. Sugar. Ash &  
 Underg<sup>th</sup> Ironwood. Spice & Pawpaw.

West On South Boundary of Sec. 32. T 35 N. R. 6. E.

37.63 A W. Oak 11 in. diam.

40.00 Set a gr. the post from which



T 34 N. R. 0 E. 2nd Mer. Indiana 91

Burr Oak 14 in. diam. bears N. 60 W. 2 links dis 58  
 a W. Oak 22 " " " N 74 E 87 " "  
 55.08 A W. Oak 15 " "  
 72.73 A Do 13 " "  
 80.00 Set a Post Corner to Sec. 31 & 32 from which  
 a Burr Oak 18 in. diam. bears N. 17 W. 2 75 links dis 38  
 a W. Oak 24 " " " West 1.30 " "  
 Land 2nd rate. thinly timbered with Oak.  
 No Undergr.

---

West On South Boundary of Sec 31. T 35 N. R. 0.  
 10.19 A W. Oak 15 in. diam.  
 45.00 Set a 90 deg. post. from which  
 a Burr Oak 14 in. diam. bears N 53 E 40 links dis 58  
 a " Do 23 " " " N 53 W. 79 " "  
 50.64 A W. Oak 30 " "  
 72.00 A Do 32 " "  
 80.00 Set a Temp. Post Corner to Towns 34 & 35 North.  
 Ranges 5 & 6 East.  
 Land &c as last mile.

June 7th 1829.  
 Surveyed by  
 David Willis D. C.

---

West Boundary  
 Run this line at Random N. 51.18 E. and  
 at the End of 3 miles 4 chains & 61 links. Inter-  
 sects Town line 12 50 East of the Corner of Towns  
 34 & 35 N. R. 5 & 6 E. — I have been often  
 vexed and surprised at my errors on this old  
 work, but thought this line there must be a  
 mistake in my work. so run this line and meas-  
 ured it over. measured the whole of the South.  
 by Town 34 North of Range 6 and found them  
 both entirely correct.

Before I began this Tier of Towns. I took the bearing  
 of the S. by Town 35. R. 0 by running accurately

## T 34. N. R. 5. E. 2nd Mer. Indiana.

the first p. S. by Sec. 32. I could see our post from the other with two station trees in Range and found the bar. 5° 58' - Although I saw at the same time found the S by Sec 31. did not bear the same by some 40'. Yet I thought that by running at 0° would straighten the work, but I have been again deceived and after spending 7 days about Town 34. R. 5. E. have left it thus

Smith On East Boundary of Sec 1. T 34. N. R. 5 E.  
 0 50 Leave Turkey Creek from the S E.  
 8. 00 Turkey Creek 100 links wide. Course N E  
 28 35 A W. Oak 20 in. diam.  
 44 01 Set a q. Sec post from which  
 a W. Oak 12 in. diam. bears N 15° W 30 links dist, &  
 a Do 16 " " " S 27° W 37 " "  
 03 14 A B Oak 18 " "  
 32. 50 Turkey Creek 75 links wide Course N W.  
 54. 01 Set a Post Corner to Sec. 1. N 2. from which  
 a Poplar 22 in. diam. bears S 2° W 39 links dist, &  
 a Maple 14 " " " N 77° W 42. " "  
 Land level and mostly low. Soil poor. Timber  
 Buck. Oak. Elm. Ash. &c.

Smith On East Boundary of Sec 12 T 34. N. R. 5.  
 5 00 An Indian trail Course S E.  
 18 51 A Sp. Oak 8 in. diam.  
 31. 50 Great Prairie or Marsh. (wet)  
 40. 00 Set a q. Sec post. from which  
 an Aspen 14 in. diam. bears S 85° W 85 1/2 links dist, &  
 a Do 12 " " " N 27° W 44. 11 " "  
 55 00 Set a Post Corner to Sec. 12 N 2 where Raised a Mound  
 in Marsh  
 To Marsh. Land &c similar to last mile

Smith On East Boundary of Sec 13. T 34. N. R. 5 E.

# 93

## T34. N. R. & E. 2nd Mer. Indiana.

21. 00 Leave Marsh.  
 27. 40 A Hickory 10 in. diam.  
 40. 00 Set a g. Sec post. from which  
 a Beech 18 in. diam. bears N 9 W 26 links dist, &  
 a W. Ash 28 " " " S 57 W 42 " "  
 54 92 A Beech 18 " "  
 80. 00 Set a Post Corner to Sec. 13 & 24 from which  
 a W. Ash 18 in. diam. bears N 27 W 19 links dist, &  
 a Do 8 " " " S 68 W 25 " "  
 Upland. Rolling. good soil. Timber. Beech. Ash. Oak.  
 Elm. Syc. Sugar. Poplar. &c. &c.

- South. On East Boundary of Sec 24. T34 N. R. & E.  
 16. 00 A Sp Oak 12 in. diam.  
 36. 50 To Marsh  
 40. 00 Set a g. Sec post from which  
 a W. Oak 15 in. diam. bears N 34 W 3.80 links dist, &  
 a B. Ash 8 " " " N 34 W 2.73 " "  
 54. 20 Leave the Marsh  
 81 00 To Marsh again. - All the Marshes noted in  
 this Town are arms of the same one crested by  
 the E. Bound. of T34 N. R. & E.  
 80. 00 Set a Post Corner to Sec. 24 & 25. from which  
 a Maple 12 in. diam. bears S 2 W 34 9 links dist, &  
 a No other tree near  
 Land &c. similar. level

- South On East Boundary of Sec 25 T34 N. R. & E.  
 30 88 A Beech 12 in. diam.  
 40. 00 Set a g. Sec post from which  
 a B. Walnut 18 in. diam. bears S 47 W 27 lbs dist, &  
 a Maple 11 " " " N 30 W 17 " "  
 58. 00 To Marsh.  
 80. 00 Set a Post Corner to Sec. 25 & 36. where  
 Raised a Mound in Marsh  
 Land &c. similar.

## T 34 N. R. 6. E 2nd Mer. Indiana.

South On East Boundary of Sec 36. T 34 N. R. 6 E.  
40.00 Set a gr. Sec. post where raised a Mound  
in Marsh

80.00 Town Corner at the end of 6 miles 66.70 lks.  
Land all wet Prairie or Marsh.

Surveyed by  
Robert Black Jr. D.S.

## Subdivisions.

North Between Secs 35 & 36.

June 5<sup>th</sup> 1834

34 04 A Blue ash 12 in. diam.

40.00 Set a gr. Sec. post from which  
a Sugar 12 in. diam. bears N 40° W. 22 links dist. &  
a Blue ash 8 " " " S 37 1/4° E. 30 " "

45 70 A Sugar 14 " "

71 34 A Blue ash 18 in. diam.

80 00 A Spruce 5 " " is Corner to Secs 25 26.  
35 & 36.

Land Rolling & 1<sup>st</sup> rate. Similar Sugar. Buck.  
Ironwood, Spice &c.

East On Random between Secs 25 & 36.

5.04 A Trail Course N. W.

10.05 A Do " North. South about 10 ch.

is the Dwelling of Michael Crowell

20 22 Intersect West side of Singles Lake

Offset South 550

" East 17.70

" North 5.50

37.92 Over Lake in Marsh

55.50 Leave Marsh

80 13 Intersect E. Boundary 17 links South of the Post.

West Corrected between Secs 25 & 36.

23 11 A W Oak 18 in. diam.

40.00 Set a gr. Sec. post at cross dists from which



# T. H. P. O. & 2<sup>nd</sup> Mer. Indiana.

95

42. 16 W. Oak 20 in. diam. bears N. 110 $\frac{1}{4}$  E 212 links dist. &  
 a Do 12 " " " N. 12 E 2. 90 " "  
 To East side of Lingus Lake and set a Post  
 from which  
 a W. Oak 20 in. diam. bears N. 58 $\frac{3}{4}$  E 2. 83 links dist. &  
 a Do 20 " " " S. 25 $\frac{1}{4}$  W. 599 " "  
 54. 11 Over Lake & set a Post from which  
 a W. Oak 20 in. diam. bears S. 80 $\frac{3}{4}$  W. 158 links dist. &  
 a Do 20 " " " N. 60 $\frac{1}{2}$  W. 1. 93 " "  
 71. 17 A B. Oak 24 " "  
 80. 13 To Sec. Corner  
 Land 3<sup>rd</sup> rate. Timber. W. & B. Oak. Hickory. Sassafras &

## North Between Sec. 25 & 26

1. 40 A Trail Course N. W.  
 20. 85 To Field.  
 24. 12 A Hickory 12 in. diam.  
 37. 08 A W. Oak 24 " "  
 40. 00 Set a gr. Sec Post from which  
 an B. Oak 24 in. diam. bears S. 13 $\frac{1}{4}$  W. 20 $\frac{1}{2}$  links dist. &  
 a W. Oak 12 " " " N. 11 $\frac{3}{4}$  E 42 " "  
 55. 00 An B. Oak 20 "  
 59. 01 Leave field. To Road W. About 3 chains  
 East is the Dwelling of Mr. Lingus  
 63. 25 To Marsh  
 64. 20 Outlet to Lake 12 links wide. Course North.  
 66. 32 Leave " on N. W. side. N. W.  
 73. 50 Leave the Marsh  
 80. 00 Set a Post Corner to Sec. 23 24. 25 & 26. from which  
 a W. Oak 18 in. diam. bears S. 19 $\frac{1}{2}$  W. 117 links dist. &  
 a Do 12 " " " S. 38 $\frac{1}{2}$  E 2. 45 " "  
 Land 2<sup>nd</sup> rate. Timber. W. & B. & B. Oak  
 Hickory &c  
 June 5<sup>th</sup>. 1834.

## East On Random between Sec. 24 & 25

25. 50 Road N. E.



## T34 N. R. &amp; E 2nd Mer. Indiana.

80.30 Intersected E. Boundary 23 links North of Post

---

West Connected between Sec. 24 & 25

5. 63 A Hickory 12 in. diam.

18 58 A W Oak 20 " "

40. 18 Set a gp. Sec. Post at aver. dists from which  
a W. Oak 14 in. diam. bears S.  $9\frac{1}{2}$  E 20 links dist. &  
a B. Oak 7 " " " N  $51\frac{1}{2}$  E  $6\frac{1}{2}$  " "

44. 05 An Aspin 18 in. diam.

80. 30 To Sec. Corner.

Land 3<sup>d</sup> rate. Timber. Beech. W. & 93 Oak. Aspin  
Willow. &c.

---

North Between Sec. 23 & 24

5. 99 A W. Oak 12 in. diam. & Leave Marsh

40. 00 Set a gp. Sec. Post from which  
a Hickory 8 in. diam. bears N  $10\frac{1}{2}$  E 1. 24  $\frac{1}{2}$  links dist. &  
a W. Oak 20 " " " S  $45\frac{1}{2}$  W 1. 38 " "

80. 00 Set a Post in the edge of Marsh Corner to Sec.  
13. 14. 23. & 24 from which  
a W. Oak 20 in. diam. bears S  $10\frac{1}{2}$  E 1. 22  $\frac{1}{2}$  links dist. &  
a Do 15 " " " S  $80\frac{1}{2}$  W 98 " "

Land &c. same as last mile

---

East On Random between Sec. 13 & 24. in Marsh

5. 75 Leave the Marsh

14. 50 To Marsh

63. 00 Leave same

74. 18 A Road leading N.E.

80 33 Intersect the E Boundary 40 links North of the Post

---

West Connected between Sec. 13 & 24

6. 55 A W. Oak 12 in. diam.

40 16  $\frac{1}{2}$  Set a gp. Sec. Post at aver. dists from which  
a W. Oak 18 in. diam. bears —  $80\frac{1}{2}$  E 33 links dist. &  
a Do 18 " " " S  $34\frac{1}{2}$  W. 9 " "

Contd.

T 34 N. R 6 E 2<sup>nd</sup> Mer. Indiana. 97

55.83 A Hickory 12 in. diam.

80.33 To Sec. Corner

Land Rolling 4<sup>th</sup> rate. Timber. W. & B Oak. Hickory &c

North Between Sec. 13 & 14

11.00 Leave the Marsh

24.97 A Beech 18 in. diam.

32.95 An Elm 20 " "

40.00 Set a q. Sec. post from which  
a Beech 15 in. diam. bears S 50 $\frac{1}{2}$  W 19 links dist. &  
a Lynn 8 " " " N 38 $\frac{1}{2}$  E 32 " "

53.07 A Brook 5 links wide. Course West.

68.34 A Butternut 18 in. diam.

80.00 Set a Post Corner to Sec. 11. 12. 13 & 14 from which  
a Beech 24 in. diam. bears S 41 $\frac{1}{2}$  W 63 links dist. &  
a Do 20 " " " N 49 $\frac{1}{2}$  E 50 " "

Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
Oak. Hickory. Ironwood &c.

East On Random between Sec. 12 & 13.

50.72 Intersect East Boundary 42 links North of Post.

West Connected between Sec. 12. & 13

5.91 A Beech 12 in. diam.

15.18 A Maple 10 " "

32.77 A Hickory 20 " "

40.50 Set a q. Sec. post at aver. dist. from which  
a Hickory 20 in. diam. bears S 79 $\frac{1}{2}$  W 17 links dist. &  
a Beech 18 " " " N 57 E 77 " "

42.89 An Ash 10 " "

57.98 An Ash 20 " "

80.72 To Sec. Corner.

Land Rolling. interspersed with small swamps.  
Timber. Elm. Ash Oak. Sugar. Hickory. Ironwood  
Beech. &c.

T34 N. P. O. E 2<sup>nd</sup> Mer. Indiana

North Between Sec. 11 & 12.

13. 30 An Elm 18 in. diam.

28 35 An Ironwood 8 in. diam.

40. 00 Set a q. Sec post from which  
a Sassafras 9 in. diam. bears N 67 $\frac{1}{2}$  E 20 $\frac{1}{2}$  links dist &  
a Blue Ash 7 " " " S 62 $\frac{1}{2}$  W 21 " "

68. 40 A Y. Oak 24 " "

80. 00 Set a Post Corner to Sec. 1. 2. 11. 12 from which  
a Lynn 24 in. diam. bears N 35 $\frac{1}{2}$  W 28 links dist &  
an Ironwood 8 " " " S 54 E 42 " "

East On Ransom between Sec. 1. 12

81. 00 Intersect East Boundary 37 links North of the Post.  
South East from this Corner about 15 chains is  
the Dwelling of Mr. —

West Corner between Sec. 1. 12

7. 38 A W. Ash 12 in. diam.

76. 10 A Sugar 20 " "

110 50 Set a q. Sec post at aver. dist. from which  
a Sugar 12 in. diam. bears S 5 $\frac{1}{2}$  W 24 $\frac{1}{2}$  links dist &  
an Elm 18 " " " N 58 E 25 " "

64 57 An Elm 20 " "

81. 00 To Sec. Corner.

Land the same as last mile

North Between Sec. 1 & 2

1. 45 A Brook 4 links wide. Course S W.

2. 81 A Sugar 18 in. diam.

18. 48 An Elm 8 " "

24. 13 A Lynn 21 " "

40. 00 Set a q. Sec post from which  
an Elm 15 in. diam. bears N 58 E 44 $\frac{1}{2}$  links dist &  
a Buck 18 " " " S 60 W 17 " "

47. 01 A Buck 20 " "

70. 25 Turkey Creek 75 links wide. Course S W.

74.45 Intersect the North Boundary 1.64 links West of Post.  
and set a Post. from which  
Buck 9 in. diam. bears S 32 $\frac{1}{2}$  E 35 links dist. &  
Go " " " S 50 $\frac{1}{2}$  W 25 " "  
Land be same as last mile June 6<sup>th</sup> 1834.

North Between Sec. 34 & 35

4.60 A Brook 5 links wide. Course N.W.

13.44 A Hickory 12 in. diam.

16.64 An Elm 20 " "

26.81 A Hickory 8 " "

40.50 Set a q. the post. from which  
an Elm 8 in. diam. bears N 18 $\frac{1}{4}$  W 3 $\frac{1}{2}$  links dist. &  
a Go 12 " " " S 50 $\frac{1}{2}$  E 41 $\frac{1}{2}$  " "

57.54 An Elm 24 " "

61.32 A Trail from East to West.

62.55 A Red Oak 24 in. diam.

72.70 A Trail. Course N.W.

80.00 Set a Post Corner to Sec. 26. 27 34 & 35 from which  
a W. Oak 18 in. diam. bears S 25 $\frac{1}{2}$  W 40 links dist. &  
a Go 30 " " " S 75 E 2 " "

Land 2<sup>nd</sup> rate & Rolling. Timber. Sugar. Elm. Ash. Oak.  
Buck. Spice. & Ironwood.

East On Random between Sec. 26 & 35.

30.31 Field

41.65 Leave same. North about 10 chains is a Dwelling house

57.35 To Field

54.12 Leave same South about 5 chains is the Dwelling of  
McShine

79.94 Intersect N & S line 25 links E of the Post.

Note Corrected between Sec. 26 & 35

39.97 Set a q. the post at over. dist. from which  
a W. Oak 20 in. diam. bears North 80 $\frac{1}{2}$  links dist. &  
a Go 30 " " " S 11 $\frac{1}{2}$  W 128 " "



## T 34 N. R. O. E. Gra. Mer. Indiana

North about 5 chains from this Corner is the Dwelling of Mr. Mackey.

- 52.98 A Hickory 10 in. diam. — North about 10 chains is the Dwelling of Mr. Kiere  
 64.27 A B. Oak 15 in. diam.  
 79.94 To Sec Corner.  
 Land Rolling, 3<sup>d</sup> rate. Timber. W. & B. Oak.

North Between Sec. 26 & 27

- 9.10 A W. Oak 12 in. diam.  
 23.24 A W. Oak 18 " "  
 24.10 Road from E to W  
 32.01 A Brook 6 links wide Course N W  
 40.00 Set a q. Sec post from which  
 a W. Oak 10 in. diam. bears S 87 $\frac{1}{4}$  E 68 $\frac{1}{2}$  links dist &  
 a Do 12 " " " N 85 $\frac{3}{4}$  W 64 $\frac{1}{2}$  " "  
 From this post N. W. about 5 chains is a Dwelling house  
 51.11 A W. Oak 12 in. diam.  
 62.60 A Do 12 " "  
 80.00 Set a Post Corner to Sec. 22. 23. 26 & 27. from which  
 a W. Oak 24 in. diam. bears S 25 $\frac{1}{2}$  E 58 links dist &  
 a Do 26 " " " N 82 W. 89 $\frac{1}{2}$  " "  
 Land the same as last mile

East On Random between Sec. 23 & 26

- 24.15 A Creek 20 links wide. Course N W  
 74.00 To Marsh  
 79.74 Intersect the N & S line 8 links S. of the Post

West Corrected between Sec. 23 & 26

- 7.98 A Hickory 12 in. diam.  
 26.40 A Do 10 " "  
 39.87 Set a q. Sec post at aver. dist from which  
 a W. Oak 26 in. diam. bears S 36 E 45 links dist &  
 a Hickory 12 " " " N 22 $\frac{1}{2}$  E 53 " "



# T34 N. R. O. E. 2nd Mer. Indiana.

101

13.02 A B Oak 18 in. diam.  
 65.24 A W. Oak 8 " "  
 79.74 To the Corner.  
 Land the same as last mile

North Between Sec. 22 & 23  
 16.43 A W. Oak 16 in. diam.  
 21.42 A Creek 15 " "  
 29.13 A Hickory 12 " "  
 40.00 Set a q. Sec. post from which  
     a W Oak 20 in. diam. bears N 34 E 3.22 links dist 8  
     a D 18 " " " N. 6 1/2 W. 259 " "  
 43.79 A B. Oak 20 " "  
 75.40 A D 24 " "  
 78.32 A D 30 " "  
 89.00 Set a Post Corner to Sec. 14. 15 22 & 23. from which  
     a W Oak 24 in. diam. bears S 42 3/4 W 17 links dist 8  
     a D 18 " " " N 54 1/4 E 78 " "  
 Land the same

East On Random between Sec. 14 & 23  
 79.74 Intersect the N. & S line 27 links North of the Post.

West Corrected between Sec. 14 & 23  
 12.06 A W. Oak 12 in. diam.  
 21.08 A Hickory 10 " "  
 39.87 Set a q. Sec. post at aver. dist. from which  
     a W. Oak 12 in. diam. bears N 11 3/4 E 33 links dist 8  
     a D 26 " " " S 25 1/2 W 42 1/2 " "  
 79.74 To the Corner  
 Land the same as last mile

North Between Sec. 14 & 15  
 27.98 A W. Oak 30 in. diam.  
 36.92 A D 18 " "  
 40.00 Set a q. Sec. post from which.

T34 A. R. O. E. 2<sup>nd</sup> Mer. Indiana.

- a Hickory 12 in. diam. bears N 28 $\frac{3}{4}$  E 50 $\frac{1}{2}$  links dist. &  
 a W. Oak 24 " " " S 88 $\frac{1}{2}$  W 44 " "  
 53.01 An Elm 10 " "  
 62.58 A Hickory 18 " "  
 78.87 A W. Oak — " "  
 80.07 Set a Post Corner to Sec. 10 N. 14 N. 15 from which  
 a Sugar 12 in. diam. bears N 73 $\frac{3}{4}$  E 20 links dist. &  
 a Beech 20 " " " S 40 W 35 " "  
 First  $\frac{1}{2}$  mile 2<sup>nd</sup> rate. Timber. Oak. Beech. Elm.  
 Sugar. Ironwood. Lymn. &c.

- East On Random between Sec. 11 N. 14  
 11.40 A Brook 4 links wide. Course N W  
 51.37 A Do 6 " " " N W  
 79.30 Intersect N & S line 30 links North of the Post.

- West Corrected between Sec. 11 N. 14  
 5.27 An Ironwood 8 in. diam.  
 10.01 An Elm 30 " "  
 24.70 A Beech 8 " "  
 39.05 Set a p. the post at area dist. from which  
 an Elm 20 in. diam. bears N 63 E 20 links dist. &  
 a B. Oak 26 " " " N 14 $\frac{1}{2}$  W 37 $\frac{1}{2}$  " "  
 79.30 To Sec. Corner  
 Land 2<sup>nd</sup> rate. E. p. Sugar. Elm. Hickory &c.  
 W. p. Aspin. Oak. Hickory. Sassafras. &c.

- North Between Sec. 10 N. 11  
 4.00 A Brook 6 links wide. Course W.  
 15.15 A Do 5 " " " W.  
 26.12 A Lymn 12 in. diam.  
 34.11 A Sugar 12 " "  
 40.00 Set a p. the post from which  
 an Elm 20 in. diam. bears S 44 $\frac{1}{2}$  W 20 links dist. &  
 a Do 24 " " " N 48 $\frac{1}{2}$  E 7 " "  
 44.05 A Lymn 20 " "

# 103

## T34 N. B. C. E. 2<sup>nd</sup> Mer. Indiana

50 98 A Sycma 24 in. diam.  
 50 00 Set a Post Corner to Sec. 2. 3. 10 11. from which  
 a Sugar 18 in. diam. bears N 89 $\frac{3}{4}$  E 20 links dist. &  
 a Do 12 " " " S 88 $\frac{3}{4}$  W 113 " "  
 Land low & wet. Timber. Sugar. Beech. Ironwood,  
 Sycm. P. Ash. & Hickory.

---

East On Random between Sec. 2 11.  
 79 22 Intersect N. & S. line 10 links North of the Post.

---

West Corrected between Sec. 2. 11.  
 2. 03 An Elm 8 in. diam. bears  
 3. 98 A Do 12 " "  
 33. 74 An Elm 12 " "  
 39 0 1/2 Set a good Sec. post from which  
 a Beech 12 in. diam. bears S 43 W 26 links dist. &  
 a Do 7 " " " N 49 E 29 " "  
 41. 81 A Beech 18 " "  
 51 99 A Do 12 " "  
 69. 50 A Do 12 " "  
 79. 22 To the Corner.  
 Land &c. same as last miles.

---

North Between Sec. 2 & 3.  
 14 03 A Sugar 18 in. diam.  
 25. 69 A Burr Oak 12 " "  
 40. 01 Set a good Sec. post from which  
 a Beech 20 in. diam. bears N 32 E 15 $\frac{1}{2}$  links dist. &  
 an Elm 10 " " " S 41 $\frac{1}{2}$  W 32 " "  
 41. 00 To Turkey Creek 50 links wide. Course S. W.  
 44. 93 A B Oak 20 in. diam.  
 50. 28 A W. Oak 30 " "  
 63. 05 An Elm 20 " "  
 63 75 To Mullen Swamp.  
 70. 80 Leave same.  
 74. 32 Intersect the North Boundary 1. 10 W. of the Post.

## T 34 N. R O E. 2nd Mer. Indiana

Set a Post Corner of Sec. 2 & 3. from which  
 a Poplar 24 in. diam. bears S 81 E 43 links dist &  
 a Hickory 12 " " " S 11 1/2 W 10 1/2 " "  
 Land the same as last mile June 9th. 1834.

North Between Sec. 33 & 34.

13.50 A Buck 18 in. diam.

22.50 A Do 24 " "

29.08 Aycamore 30 " "

40.00 Set a q. Sec. Post. from which  
 a Buck 24 in. diam. bears S 61 W 53 links dist &  
 a Sugar 12 " " " S 36 E 9 " "

53.50 A Brook 5 links wide. Course N W

59.09 A Sugar 20 in. diam.

64.84 A B. Walnut 14 in. diam.

77.77 A Buck 30 in. diam.

80.00 Set a Post Corner to Sec. 27. 28. 33. & 34 from which  
 a Blue Ash 12 in. diam. bears S 38 W 31 links dist  
 a Elm 18 " " " N 60 1/4 E 32 " "  
 Land 1<sup>st</sup> rate. Timber. Sugar. Buck. Walnut.  
 Buckeye. Spice & Pawpaw.

East On Random between Sec. 27 & 34

12.00 A Trail from N to E.

79.50 Intersect N & S line 38 links South of Post.

West Connected between Sec. 27 & 34

24.21 A Blue Ash 12 in. diam.

39.75 Set a q. Sec. Post at aver. dist. from which  
 a B. Oak 24 in. diam. bears S 69 1/4 W 84 links dist &  
 a Do 12 " " " N 14 1/2 E 54 " "

42.79 A Hickory 8 in. diam.

57.89 A B. Oak 20 " "

61.52 A Sugar 20 " "

79.50 To Sec. Corner

Land the same as last mile.



# T 34 N. R. 6. E 2nd Mer. Indiana.

105

North Between Sec. 27 & 28.

5. 17 A Sugar 16 in. diam.

5. 91 A Road N. E. North East about 5 chains is the Dwelling house of Mr. Morris.

18. 00 Enter Prairie

39. 50 A Trail. Course N. E.

40. 00 Set a Post in mound for q. sec Corner.

63. 40 A Burr Oak 10 in. diam.

East about 20 chains is Man-Massed Indian Village. Leave Prairie. West about 3 chains is the Dwelling of Mr. More.

70. 15 Road N. W.

77. 18 A W. Oak 18 in. diam.

80. 00 Set a Post Corner to Sec. 21. 22. 27 & 28 from which a B. Oak 12 in. diam. bears N 85 W. 25 links dist. & a D. 12 " " " S. 57 E 37 " " Timbered Land same. Prairie high & Dry. Soil rich

East On Ransom Between Sec. 22 & 27.

11. 50 To Marsh.

4. 25 Leave same

25. 00 A Creek 10 links wide. Course N. W.

79. 47 Intersect N + S line 15 links North of the Post.

West Connected between Sec. 22 & 27.

28. 70 A W. Oak 12 in. diam.

34. 73 Set a q. sec Post at area. dist. from which a W. Oak 11 in. diam. bears S 50 E 81 links dist. & a D. 24 " " " N 12 E 50 " "

51. 47 A W. Oak 12 " "

79. 47 To Sec Corner.

Land Rolling & 2nd rate. Timber. Oak & Hickory.

North Between Sec. 21 & 22.

11. 00 To Marsh.

8. 00 Leave same.



T 34 N. R. 6. E. 2<sup>nd</sup> Mer. Indiana.

13. 08 A B Oak 18 ins. diam.  
 23. 00 To Marsh  
 31. 00 A Creek 50 links wide. Course N. W  
 35. 50 Leave the Marsh  
 39. 04 A W Oak 10 ins. diam.  
 40. 00 Set a q. Sec. Post. from which (in edge of Marsh.)  
 a W Oak 8 ins. diam. bears S 50 $\frac{1}{2}$  W 77 links dist &  
 a Do 12 " " " S 48 $\frac{1}{2}$  E 64 $\frac{1}{2}$  " "  
 44 38 To South Bank of Man-was Lake & set a Post.  
 from which  
 a W Oak 12 ins. diam. bears S 9 $\frac{1}{2}$  W 503 lks dist &  
 a Do 10 " " " S 6 $\frac{1}{4}$  E 491 " "  
 72. 03 Over Lake & set a Post from which  
 a W Oak 12 ins. diam. bears N 53 $\frac{1}{4}$  E 110 lks. dist &  
 a Do 15 " " " N 16 $\frac{1}{2}$  W 127 " "  
 80. 00 Set a Post Corner to Sec. 15. 16 21 & 22 from which  
 a W Oak 18 ins. diam. bears N 58 $\frac{1}{2}$  E 90 links dist &  
 a Hickory 42 " " " S 3 W 49 " "  
 Land &c same.

East On Random between Sec. 15 & 22.

79 40 Intersect N & S line 6 links South of the Post.

West Corrected between Sec. 15 & 22.

23. 00 A B Oak 18 ins. diam.

39 70 Set a q. Sec. Post at aver. dist. from which  
 a W Oak 15 ins. diam. bears N 70 $\frac{1}{2}$  E 20 links dist &  
 a Hickory 10 " " " S 70 $\frac{1}{2}$  W 10 " "

50 25 A Do 12 " "

79 40 To Sec. Corner

Land &c same as last mile June 10<sup>th</sup> 1834.

North Between Sec. 15 & 16.

33. 00 A W Oak 20 ins. diam.

40. 00 Set a q. Sec. Post from which  
 a W Oak 8 ins. diam. bears S 73 E 30 links dist &

# T34 N. P. O. & 2<sup>nd</sup> Mer. Indiana.

107

54.00 a W. Oak 12 in. diam. bears N 79 W 47 links dist.  
To Swamp.  
75.72 A Burr Oak 6 in. diam.  
80.00 Set a Post Corner to Sec. 9. 10. 15 & 16. from which  
a Burr Oak 5 in. diam. bears N 89 W - links dist. &  
an Aspen 12 " " " S 65 E 15 " "  
Land South 1/2 mile same. Last 1/2 swampy.  
Timber. B. Ash. Elm. Oak. Willow &c.

East On Random between Sec. 10 & 15.

15.00 Leave the Swamp.

79.25 Intersect N & S line 26 links North of the Post.

West Connected between Sec. 10 & 15.

6.91 A Lymn 30 in. diam.

19.71 A Buckeye 6 " "

32.02 An Ash 10 " "

39.62 Set a q. Sec post at aver. dist. from which  
a Burr Oak 12 in. diam. bears East 40 7/8 links dist. &  
an Elm 10 " " " N 52 3/4 W 2 1/8 " "

54.76 An Aspen 15 " "

79.25 To the Corner

Land East of Swamp 2<sup>nd</sup> water Rolling. Timber  
Beech. Sugar. Elm. Ash &c. Spice.  
In Swamp. Timber Ash. Oak. Willow &c. &c.

North Between Sec. 9 & 10

4.59 A W. Ash 10 in. diam.

14.00 Leave the Swamp.

40.00 Set a q. Sec post from which  
a Sycamore 50 in. diam. bears S 57 1/2 E 9 links dist. &  
a W. Ash 24 " " " S 84 3/4 W 44 1/2 " "

40.40 Turkey Creek 50 links wide Course N 100 W

54.49 An Ash 6 in. diam.

57.14 A Sycamore 24 in. diam.

65.44 A Burr Oak 18 " "

## T34 N. R. O. E. 2nd Mer Indiana

50.00 Set a Post Corner to Sec. 3. 4. 9 NW. from which  
 a Beech 18 in. diam. bears N 37 E 14 links dist &  
 a Dr 10 " " " S 16 W 5 1/2 " "  
 Land level & 2nd rate. Timber. Oak. Elm. Sycamore  
 Ironwood. Beech. &c.

East On Random between Sec. ~~3 & 4~~ 3 & 10  
 42.17 Turkey Creek 50 links wide. Course S W.  
 75.55 Intersect N. & 3 line 5 links North of the Post.

West Corrected between Sec. ~~3 & 4~~ 3 & 10  
 12.97 A Lynn 12 in. diam.  
 23.27 A Lynn 6 " "  
 33.04 A B. Oak 20 " "  
 34.27 1/2 Set a gp. Sec. Post at aver. dist from which  
 an Elm 8 in. diam. bears N 24 E 9 links dist &  
 an Oak 20 in. " " S. 2 E 30 " "  
 43.13 A Maple 20 " "  
 63.34 A Beech 12 " "  
 78.55 To Section Corner.  
 Land the same as last mile.

North Between Sec. 3 & 4.  
 17.50 A Sugar 20 in. diam.  
 40.00 Set a gp. Sec. Post. from which  
 a W. Oak 30 in. diam. bears N 63 1/4 E 22 1/2 links dist &  
 a Hickory 12 " " " N 80 1/2 W 11 " "  
 43.04 A Dr 18 " "  
 58.80 An Elm 24 " "  
 75.30 Intersect the North Boundary 1.02 the East of  
 the Post and set a Post Corner to Sec. 3. & 4  
 from which  
 a Hickory 30 in. diam. bears S 39 1/2 W 34 1/4 links dist &  
 a Sugar 12 " " " S 75 1/2 E 22 1/2 " "  
 Land Rolling & 2nd rate. Timber. Sugar. Beech.  
 Lynn. Ironwood. Spice. &c. June 11th 1834.

North Between Sec. 32 & 33.

40.00 Set a q. the Post from which  
a Burr Oak 26 in. diam. bears N 40° W 51 1/2 lks. dist &  
a Jack Oak 12 " " " S 0° 5 1/4 W. 4. 43 " "  
S. W. from this Corner about 10 chains is the  
Dwelling of Mr.

70.00 About 8 chains N. is the Dwelling of Mr.

50.00 Set a Post Corner to Sec. 28. 29. 32. & 33. from which  
a Burr Oak 18 in. diam. bears N 34° W 30 lks. dist &  
a W Oak 24 " " " S 83° W. 6. 32 " "  
First rate Prairie Land.

East On Random between Sec. 28 & 33.

48.00 Leave Prairie

55.40 Leave field. to Road. North

60.00 To Dwelling of Mr. B.

80.29 Intersect N & S. line 15 links South of the Post.

West Connected between Sec. 28 & 33

0.94 An Elm 4 in. diam.

18.15 A Hickory 12 " "

40.14 1/2 Set a q. the Post at aver. dist. from which  
and Raised a Mound

80.29 To Section Corner.

Land Rolling & 1<sup>st</sup> rate. Timber. Oak. Sugar.  
Lynn. Co.

North Between Sec. 28 & 29.

13.10 Leave Prairie & field. East about 15 chains is  
the Dwelling of Mr. Street

14.00 Road to John N. G.

21.48 A Burr Oak 36 in. diam.

34.30 A Do " 20 " "

40.00 Set a q. the Post from which  
a Jack Oak 12 in. diam. bears N 51 3/4 W 81 1/2 lks. dist &  
a Hickory 20 " " " S. 29 E. 98 " "



T34 N. R. O. E 2<sup>nd</sup> Mer. Indiana

51.57	A Sugar 24 in. diam.
52.00	East 8 chains is the Dwelling of Mr Wright.
58.36	A B. Walnut 30 in. diam.
80.00	Set a Post Corner to Sec? 20. 21. 28 & 29. from which a Hackberry 18 in. diam. bears N 42 E - links dist & a Do 20 " " " S 48 W 55 " " Land level 1 <sup>st</sup> rate Timber. Sugar. Hackberry. Walnut. Ash, &c.
<hr/>	
East	On Rander between Sec? 21 & 28.
9.00	About 2 chains North is the Dwelling of Mr. Mc Lary
17.00	Road to Goshen North
48.90	To field & Prairie North about 10 chains is the Dwelling of Mr. Wilkinson
54.25	Leave field
60.00	Leave Prairie
80.54	Intersect N. & S line 12 links North of the Post.
<hr/>	
West	Connected between Sec? 21 & 28.
7.07	A Hickory 8 in. diam.
40.27	Set a q. the post at a cor. dist from which a Burr Oak 18 in. diam. bears N 34 W 3. 29 lks dist & a " Do 20 " " " N 24 E 3. 54 " "
80.54	To the corner. Land in Prairie 1 <sup>st</sup> rate. East of Prairie 3 <sup>rd</sup> rate. Timber. W. & B. Oak.
<hr/>	
North	Between Sec? 20 & 21.
25.08	An Elm 12 in. diam.
35.22	An Aspen 20 " "
40.00	Set a q. the post from which a Burr Oak 12 in. diam. bears N 80 E 34 lks dist & a B. Oak 18 " " " S 50 W 50 " "
80.00	Set a Post Corner to Sec? 16. 17. 20 & 21 from which a W. Oak 6 in. diam. bears S 65 W 74 links dist &

# T 34 N. R. 6. E 2nd Mer. Indiana.

111

a W. Oak 20 in. diam. bears N 14 $\frac{1}{2}$  E 19 links dist. of  
a Land South  $\frac{1}{2}$  2nd rate level. Timber. B. Ash  
Walnut, Lym. B. Oak. Spruce. &c. North  $\frac{1}{2}$  2nd rate  
Oak. Aspin. Haze. Sapafra. &c.

- East On Random between Sec. 16. & 21.  
17.77 Road to Goshen North.  
South about 15 chains is a House.  
27.02 To Marsh.  
37.22 Intersect West side of Man-nas Lake  
51.34 Over Lake  
50.70 Intersect the N & E line 10 links North of the Post.

- West Corrected between Sec. 16 & 21.  
18.80 Intersect Lake & set a Post from which  
a W. Oak 12 in. diam. bears N 36 $\frac{1}{2}$  E 80 links dist. of  
a Do 12 " " " N. 58 $\frac{1}{2}$  E 106 " "  
43.48 Over Lake & set a Post from which  
a W. Oak 24 in. diam. bears S 15 W 24 links dist. of  
a Do 24 " " " S. 59 $\frac{1}{2}$  W. 684 " "  
80.70 To Sec. Corner  
Land 2nd rate. Rolling. Timber: W. & B. Oak.  
Sapafra. &c. June 12<sup>th</sup> 1834.

- North Between Sec. 16. & 17  
8.52 A B. Oak 20 in. diam.  
19.15 A Trail. Course N W.  
26.00 A B. Oak 24 in. diam.  
40.00 A B. Oak 18 " " is q. & Sec. Corner.  
53.53 A Creek 20 links wide. Course N W.  
65.05 A W. Oak 18 in. diam. to Road to Goshen N W.  
71.83 Turkey Creek 50 links wide.  
75.00 Leave the Creek West  
76.28 To Field. West about 3 chains is the Dwelling  
of Mr. Perrin  
80.00 Set a Post Corner to Sec. 8. 9. 10. & 17. from which

## T 34 N. R. 6. E. 2nd Mer. Indiana.

a B. Oak 20 in. diam. bears N 89 $\frac{1}{2}$  W. 2.49 links dist.  
 & a P. 20 " " " N 47 $\frac{1}{2}$  E 84 " "  
 Land &c. same as last mile.

East On Random between Sec. 9 & 10.

5. 83 Leave the field

29 90 To Turkey Creek 50 links wide Course S E.

31. 50 Leave Creek on same side.

43. 30 Turkey Creek 50 links wide. Course S W.

55. 00 A Creek 10 links wide. Course N W.

60 00 To Swamp.

80. 32 Intersect N & S line 5 links South of the Post.

West Connected between Sec. 9 & 10.

24. 72 A Lym 12 in. diam.

40. 10 Set a g. Sec. post at aver. dist. from which  
 a Burr Oak 6 in. diam. bears N 34 $\frac{1}{2}$  E 7 lks dist. &  
 a Red Oak — " " " S 71 $\frac{1}{2}$  W. 22 lks. dist.

42. 91 A B Ash 10 in. diam.

54. 96 A W. Oak 20 " "

80. 32 To Sec Corner.

North Between Sec. 8 & 9.

2. 70 Leave field.

6. 10 Road N E

21. 30 Road N E

25. 27 A W. Oak 18 in. diam.

40. 00 Set a g. Sec. post from which  
 a W. Oak 12 in. diam. bears N 33 $\frac{1}{2}$  E 52 p links dist. &  
 a P. 18 " " " S 64 $\frac{1}{2}$  W. 30 " "

45. 50 To Marsh

55 50 Leave same

67. 93 A Burr Oak 18 in. diam.

80. 00 Set a Post Corner to Sec. 4-5. 8. & 9. from which  
 a Burr Oak 20 in. diam. bears S 73 $\frac{1}{2}$  E. 50 p links dist. &  
 a W. Oak 24 " " " N 72 $\frac{1}{2}$  W. 96. " "



# T 34 N. R. 6. E 2<sup>nd</sup> Mer. Indiana.

113

Land Rolling & 2<sup>nd</sup> rate. Timber. W. & B. Oak, &c.

East On Random between Sec. 4 & 9.  
4.00 Road N.W.  
14.25 Go North.  
79.62 Intersect N & S line 33 links South of the Post.

Note Connected between Sec. 4 & 9.  
2.49 A Hickory 20 in. diam.  
21.38 A Buck 12 " "  
29.39 An Ash 20 " "  
39.81 Set a q. the post from which  
an Ironwood 9 in. diam. bears N 9 1/2 E 40 links dis. &  
a Burr Oak 7 " " " S 48 1/2 W 11 " "  
44.82 A Buck 18 " "  
79.62 To the Corner.  
Land 2<sup>nd</sup> rate. Timber. Oak. Sugar. Lymn. Elm.  
Lymn. Hickory. Walnut. Ironwood &c. Spice.

North Between Sec. 4 & 5.  
7.50 A Road. N.W.  
31.28 A B. Oak 18 in. diam.  
40.00 Set a q. the post from which  
a B. Walnut 18 in. diam. bears N 33 E 8 links dis. &  
a Blue Ash 20 " " " S 54 1/2 W 15 " "  
45.25 A Buck 40 " "  
61.23 An Ironwood 7 " "  
77.03 Intersect the North Boundary. 2.48 links East  
of the Post & set a Post from which  
a Buck 10 in. diam. bears S 59 1/2 W 50 links dis. &  
a Sugar 10 " " " S 50 E 43 1/2 " "  
Land same as last mile. June 13<sup>th</sup> 1834.

North Between Sec. 31 & 32 in Marsh  
40.00 Set a q. the post and Raised a Mound.  
80.00 Set a Post Corner to Sec. 29. 30. 31 & 32 in Mound



## T34 N. B. &amp; E 2nd Mer. Indiana

Land all Marsh. Covered with Coarse Grass -

East On Random between Sec. 29 & 32  
 36.00 Leave Marsh.  
 75.00 Enter Dry Prairie  
 78.70 Road to Goshen  
 79.00 Enter Field  
 80.48 Intersect N. & S line 16 links North of the Post.

West Corrected between Sec. 29 & 32.  
 28.70 A Hickory 12 in. diam.  
 40.24 Set a gr. Sec. Post at aver. dist. from which  
 a B. Oak 6 in. diam. bears N 44° E 31 1/2 links dist. &  
 a Hickory 12 " " " S 81 1/2° W 28 " "  
 50.48 To Sec. Corner.  
 Land in Marsh same. Wood land & Prairie  
 17 rate. Timber. Oak. Hickory. Sugar. Walnut.  
 Horse. Chaparral. &c.

West Between Sec. 30 & 31.  
 80.93 Intersect the West Boundary 9 links South of Post

East Corrected between Sec. 30 & 31  
 40.93 Set a gr. Sec. Post. & Raised a Mound.  
 80.93 To Sec. Corner  
 Land all Marsh

North Between Sec. 29 & 30.  
 40.00 Set a gr. Sec. Post in Mound in Marsh  
 80.00 Set Post in Mound in Marsh. Corner to Sec.  
 19. 20. 29. & 30.  
 Land &c. same as last mile.

East On Random between Sec. 20 & 29.  
 30.00 Leave Marsh  
 80.90 Intersect the N. & S line at Post.

T 34 N. R. 6. E. 2<sup>nd</sup> Mer. Indiana.

115

West Corrected between Sec. 20 & 24.

14 24 A Sugar 24 in. diam.

37.20 An R Oak 30 " "

40 45 Set a q. Sec. post. at aver. dist. from which  
an Ironwood 10 in. diam. bears N 10 3/4 E 16 links dist. &  
a Poplar 12 " " " S 39 1/2 W 45 " "

80 90 To Sec. Corner.

Land in Marsh same. soil 2<sup>nd</sup> rate Timber. Ash.  
Lynn. Hickory. Oak. Sugar. Elm &c.

West On Random between Sec. 19 & 30.

32. 00 Leave Marsh.

15. 00 Enter Marsh.

87. 00 Intersect the West Boundary 28 links North of Post.  
No tree near to Marsh.

East Corrected between Sec. 19 & 30.

47 00 Set a q. Sec. post from which  
a Red Oak 30 in. diam. bears N 20 1/4 E 16 links dist. &  
a Do 30 " " " S 5 E 48 " "

87 00 To Sec. Corner.

Land the same as last mile.

North Between Sec. 19 & 20. in Marsh

40. 00 Set a q. Sec. post in Mound

80. 00 Set a Post-Corner to Sec. 17. 18. 19 & 20. and  
Raised a Mound in Marsh  
Land all Marsh. June 14<sup>th</sup>. 1834.

East On Random between Sec. 17. & 20

39. 00 Leave Marsh

80. 00 Intersect N & S line 50 links South of the Post.

West Corrected between Sec. 17 & 20.

8. 80 A W. Oak 18 in. diam.

40. 80 Set a q. Sec. post at aver. dist. from which

## T 34 N. R. 6 E 2nd Mer. Indiana.

B. Oak 12 in. diam. bears S 18 $\frac{1}{2}$  E 15 links dist. &  
 a D 9 " " " S 17 $\frac{1}{4}$  W 22 " "  
 80. 00 To the Corner.  
 Improved Land 3<sup>rd</sup> rate. Timber. B + W Oak. Sycamores.

West On Random between Sec. 18 & 19.  
 59. 50 Leave the Marsh.  
 87. 03 Intersect the West Boundary 29 links North of Post.

East Corrected between Sec. 18 & 19.  
 Bearings for the Corner of Sec. 18 & 19  
 A Buck 20 in. diam. bears S 81 $\frac{1}{2}$  E 25 links dist. &  
 a D 12 " " " N 51 E 10 $\frac{1}{2}$  " "  
 8. 02 N. W. Oak 12 in. diam.  
 14 48 N. Y Oak 20 " "  
 47. 03 Set a g. Sec. post in Marsh and Raised a Mound  
 87. 03 To the Corner.  
 Land West of Marsh 2<sup>nd</sup> rate Rolling. Timber  
 Buck. Ash. Oak. Spice. &c.

North Between Sec. 17 & 18.  
 40. 00 Set a g. Sec. post in Marsh and raised a Mound  
 77. 50 Leave Marsh.  
 80. 00 Set a Post-Corner to Sec. 7. 8. 17 & 18 from which  
 a W. Oak 24 in. diam. bears S. 49 $\frac{1}{2}$  E 54 links dist. &  
 a D 20 " " " N 68 W 44 " "  
 Land Marsh. Covered with Coarse grass

East On Random between Sec. 8. & 17.  
 32. 00 A Trail Course N W  
 34. 50 To Marsh  
 44. 75 To Turkey Creek 50 links wide. Course N W  
 48. 50 Leave the Marsh.  
 78. 50 Road to Gushen & Center field.  
 80. 00 Intersect N & S line 13 links South of the Post.

# T 34 N. R. 6. E 2nd Mer. Indiana.

117

West Corrected between Sec. 8 117.

40.33 Set a gp. the post at aver. dist. from which  
a W. Oak 16 in. diam. bears S 12 3/4 W 4.33 links dist. &  
a Do 12 " " " S 22 3/4 W 4.59 " "

61.21 A W. Oak 36 " "

80.68 To Sec. Corner.

Land Rolling & 3<sup>rd</sup> rate. Timber. W. & B Oak. Hickory &c.

West Between Sec. 7. 118. On Random.

5.00 Enter Marsh

83.30 A Creek 10 links wide. Course North

67.43 Intersect the West Boundary. 1.15 links North of Post.

East Corrected between Sec. 7. 118.

47.43 Set a gp. the post.

87.43 To Sec. Corner.

Land all Marsh.

North Between Sec. 7. & 8.

20.20 A W Oak 36 in. diam.

34.18 Turkey Creek 75 links wide. Course North

36.50 Leave Do on the same side. At C & Enter Marsh.

40.00 Set a gp. the post. from which

a W. Oak 12 in. diam. bears S 21 1/2 W 3.42 links dist. &

a Do 12 " " " S 68 1/2 W 3.30 " "

45.00 To Turkey Creek 75 links wide. Course West.

59.61 A Red Oak 10 in. diam. & Leave Marsh.

65.36 A B Oak 24 " "

80.00 Set a Post Corner to Sec. 5. & 6. 7 & 8 from which

a B. Oak 20 in. diam. bears N 55 1/2 W 38 links dist. &

a W. Oak 16 " " " S 63 1/2 E 1.79 " "

Land 3<sup>rd</sup> rate. Timber W. & B Oak. Rolling.

East On Random between Sec. 5 & 8.

35.90 A Road. Course N. W

51.50 Enter Marsh.



## T 34. N. R 6 E 2nd Mer Indiana.

63.00 Same same.

79.30 Intersect the N &amp; S line 14 links South of the Post.

West Connected between Sec. 5 &amp; 8.

39.65 Set a g. the Post at aver. dist. from which  
a W. Oak 18 in. diam. bears S 25 1/4 E 34 links dist &  
a Do 12 " " " N 87 1/2 W 23 " "

48.37 A W. Oak 10 " "

60.21 A W. Oak 10 " "

79.30 To Sec. Corner.

Land &amp;c. Same. June 15th 1834.

West Between Sec. 6 &amp; 7. On Random

27.00 To Marsh.

42.00 Leave the Marsh.

72.50 Turkey Creek 75 links wide. Course N W.

87.95 Intersect West Boundary 80 links North of the Post.

East Connected between Sec. 6 &amp; 7.

Bearings for the corner of Sec. 6 &amp; 7.

A W. Oak 10 in. diam. bears S 66 E 9 links dist &  
a Buck 10 " " " N 58 E 37 " "

0.88 A B Ash 20 " "

20.33 A B Oak 10 " "

31.24 A W. Oak 18 " "

47.95 Set a g. the Post from which

an Elm 20 in. diam. bears S 31 1/2 W 79 links dist &  
an Aspen 8 " " " S 35 E 67 " "

57.95 To Sec. Corner.

Land &amp;c. Same as before.

North Between Sec. 5 &amp; 6.

14.27 A W. Oak 20

40.07 Set a g. the Post. from which

a W. Oak 8 in. diam. bears S 53 E 99 links dist &  
a Do 10 " " " N 30 1/4 W 88 1/2 " "

58.75 A W. Oak 18 in. diam.  
 50 27 Intersect the North Boundary 3.50 links East of Post.  
 At a Post-Corner to Sec. 5 & 6 from which  
 a W. Oak 36 in. diam. bears S 56 3/4 W 3.75 links dist.  
 a Do 18 " " S 34 1/2 E 0.19 " "  
 Land Level & 3 rate. Timber. W. & B. Oak Hickory;  
 June 10<sup>th</sup> 1834.

### Meanders of Lingles Lake

Beginning at Meander Post on Range line on the North side of Lake. Thence in Sec 25.

Courses	Distances	Remarks.
N 85 W	5.00	
N 49 W	2.00	
N 45 W	12.50	
N 73 1/4 W	13.18	
N 68 W	13.50	
S 79 W	12.00	
N 67 1/2 W	6.00	
N 53 1/2 W	8.00	
S 81 1/4 W	5.50	
S 22 W	10.50	
S 48 1/2 E	16.50	At 2.15 an Outlier 50 links wide. Course N W.
S 14 1/2 E	7.00	
S 7 E	12.50	
S 19 E	14.00	
S 24 1/2 W	5.00	
S 89 1/2 W	8.00	
S 37 1/2 W	5.50	
S 18 E	3.50	
S 40 1/2 E	9.92	To Post on line between Sec. 25 & 30 on the West side of Lake. Thence

S 42 1/4 E 5.50 In Sec 30.

N 80 E 13.00

N 29 1/2 E 2.29 To Post on line between Sec. 25 & 30. On E. side of Lake.

## T34 N. R. 6. E 2nd Mer. Indiana.

N 25 E 8.50

N 65 E 10.00

S 81 1/2 E 21.50

N 83 E 4.00

N 70 1/2 E 3.10 To Meander Post on Range line. On the South side of Lake. June 7th 1834.

This Lake has gravelly Banks on the North side. and Marsh on the South and is probably shallow.

## Meanders of Mawwas Lake

Beginning at Post on line between Sec. 10 &amp; 21.

On the West side of Lake. Thence

N 40 1/4 W 9.58

N 12 1/2 E 12.00 In Sec. 10

S 61 1/4 E 6.00 At 400 An Outlet 30 links wide. Course N.E.

S 42 1/2 E 18.50

S 80 1/4 E 8.50

S 72 1/4 E 2.91 To Post on true line between Sec. 10 &amp; 21.

On East side of Lake Thence

S 82 1/2 E 7.00 In Sec. 21.

S 70 E 9.00

S 48 1/2 E 4.51 To Post on line between Sec. 21 &amp; 22.

On the North side of Lake. Thence

S 74 1/4 E 0.59 In Sec. 22.

S 44 1/4 E 4.00

S 47 1/2 E 4.50

S 57 1/2 E 10.00

S 27 1/2 E 7.00

S 35 W 10.00 At 800 An Inlet 30 links wide.

S 64 W 5.00

N 83 W 5.00 To Post on line between Sec. 21 &amp; 22.

On the South side of Lake. Thence

N 80 1/2 W 10.00

In Sec. 21.

Contd.

T 34 N. R. 6 E 2nd Mer. Indiana.

121

S 17 1/2 W 3.00 Ac 1.50 An Inlet 30 links wide. North.

N 88 W 9.50

N 48 W 13.00

N 40 3/4 W 23.00

N 29 E 5.04 To Place of Beginning.

Surveyed by  
R. J. Danson. D. S.

I hereby Certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States for the States of Ohio, Indiana and the Territory of Michigan, bearing date the 10th day of June 1834, and in strict conformity to the laws of the United States and the instructions of the Surveyor General, I have surveyed and subdivided into Sec. Township T 34 North of Range R 6 East of the 2nd Mer. in the State of Indiana and I do further Certify that the foregoing are the true and original Field Notes of the said Survey and subdivisions executed as aforesaid.

Certified this 17th day of June 1834.

R. J. Danson. D. S.

David Mepler

Isaac

Chairmen

William Knight. Markin.

I certify that the foregoing transcript of the Field Notes of Township T 34 North of Range R 6 East of the 2nd Mer. in the State of Indiana, has been compared with the original Notes in this Office and found to be Correct.

Surveyor General's Office

Cincinnati March 9th 1843.

William Huston  
Sur. Genl.